

Jinghong Vanities

BPIR Declaration

Version: V1

Designated building product: Class 1

Declaration

Jinghong Pty Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

Product/system

Name	Jinghong Vanities
Identifier	JHMC, JHMCBC, HJ Series

Description

The Jinghong vanities are intended for use for personal sanitation in residential & light commercial buildings. The vanity tops are made from glazed ceramic.

The vanity cabinets are made from moisture resistant particle board, finished with high gloss Polyurethane paint, or timber-look laminate, or Plywood.

Drawer runners & door hinges feature soft close & quick release functionality.

Refer to website to sizing for specific models.

Scope of use

The Jinghong vanities are intended for use for personal sanitation in residential & light commercial buildings.

Conditions of use

The vanity must be installed in accordance with our supplied instructions. Floor standing models must be fixed to a nog / stud in the wall. Wall hung models must be fixed to two nogs / studs in the wall. The vanity top must be sealed to the top of the cabinet per the instructions. The vanity top & cabinet must be sealed to the wall & floor per the instructions. Water should not be permitted to run or overflow onto any cabinet surfaces. The tapware & waste must be installed by a Registered Plumber. The maximum temperature of water at the bath outlet is 50 degrees Celsius.

Relevant building code clauses

B2 Durability — B2.3.1 (c)

F2 Hazardous building materials — F2.3.1

G1 Personal Hygiene — G1.3.2

G12 Water Supplies — G12.3.2, G12.3.5

Contributions to compliance

B2.3.1(c):	Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Englefield Vanities have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions.
F2.3.1:	No materials used in the construction of Jinghong Vanities give rise to harmful concentrations at the surface of the material where the material is exposed, or in the atmosphere of any space.
G1.3.2:	Jinghong Vanity Tops comply with the relevant requirements of AS/NZS 1730 (Washbasins).
G12/AS1 2.1.2:	Jinghong Vanities must be provided with hot water to satisfy the intended usage of personal washing (note - tapware not included).

Supporting documentation

The following additional documentation supports the above statements:

Installation Instructions	Refer website.
Warranty statement(s)	Refer website.
Care & maintenance guide	Refer website.

For further information supporting Jinghong vanity claims refer to our website.

Contact details

Manufacture location	China
Manufacturer	Jinghong Approved manufacturer
Legal and trading name of importer	Jinghong Pty Ltd
Importer address for service	4F Titoki Place, Albany, Auckland, 0632
Manufacturer/importer website(s)	Jinghong.co.nz
Manufacturer/importer email	sales.jinghong@hotmail.com
Manufacturer/importer phone number	09 441 9098
Manufacturer/importer NZBN	9429036475414