

# Jinghong Vessel Basins

## BPIR Declaration

Version: V1

---

### Designated building product: Class 1

---

#### Declaration

Jinghong Pty Ltd has provided this declaration to satisfy the provisions of Schedule 1(d) of the Building (Building Product Information Requirements) Regulations 2022.

---

#### Product/system

<b>Name</b>	Jinghong Vessel Basins
<b>Identifier</b>	JHB Series

#### Description

Jinghong VC Vessel Basins are made from Vitreous China. Comes with waste hole to suit a 32mm waste. Available in Gloss White, Matte White, Black, Green, Yellow, Pink, Grey, etc. For more information on sizing and colour availability visit [www.jinghong.co.nz](http://www.jinghong.co.nz).

---

#### Scope of use

The Jinghong basins are intended for use for personal sanitation in residential & light commercial buildings.

---

## Conditions of use

The basin must be installed in accordance with our supplied instructions. The vanity top & cabinet must be sealed to the wall & floor per the instructions. The tapware & waste must be installed by a Registered Plumber. For safety reasons hot water temperature must be limited to 55 ° C.

---

## Relevant building code clauses

**B2 Durability** — B2.3.1 (c)

**F2 Hazardous building materials** — F2.3.1

**G1 Personal Hygiene** — G1.3.2

**G12 Water Supplies** — G12.3.2

---

## Contributions to compliance

- B2.3.1(c):** Per B2/AS1, Durability Requirements of Nominated Building Elements for Plumbing Fixtures, Englefield Vanities have a durability of at least 5 years, when installed and maintained in accordance with our supplied instructions.
- F2:** Jinghong Basins are safe when handled. There are no requirements for this product to comply with Acceptable Solution F2/AS1, First Edition Amendment 3, 2017.
- G1:** The Vessel Basins are impervious to water and stain resistant.
- G12/AS1 2.1.2:** Jinghong basins must be provided with hot water to satisfy the intended usage of personal washing (note - tapware not included).

---

## Supporting documentation

The following additional documentation supports the above statements:

<b>Installation Instructions</b>	Refer website.
<b>Warranty statement(s)</b>	Refer website.
<b>Care &amp; maintenance guide</b>	Refer website.

For further information supporting Jinghong basin claims refer to our website.

---

## Contact details

<b>Manufacture location</b>	China
<b>Manufacturer</b>	Jinghong Approved manufacturer
<b>Legal and trading name of importer</b>	Jinghong Pty Ltd
<b>Importer address for service</b>	4F Titoki Place, Albany, Auckland, 0632
<b>Manufacturer/importer website(s)</b>	<a href="http://Jinghong.co.nz">Jinghong.co.nz</a>
<b>Manufacturer/importer email</b>	<a href="mailto:sales.jinghong@hotmail.com">sales.jinghong@hotmail.com</a>
<b>Manufacturer/importer phone number</b>	09 441 9098
<b>Manufacturer/importer NZBN</b>	9429036475414